

Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 1 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Natrapel® Picaridin Eco-Spray	HMIS Hazard Rating Health	1
Product Code:	EPA Reg. 56575-15 044224068781	Flamability Reactivity Personal Protection	3 0 X
SDS Date: SDS Revision No.: USE:	April 26, 2017 7 Insect Repellent		
MANUFACTURER: ADDRESS: INFORMATION CALLS: CUSTOMER SERVICE: TECHNICAL QUESTIONS: FAX PHONE:	Tender Corporation 944 Industrial Park Rd Littleton, NH 03561 800-258-4696 <u>cs@tendercorp.com</u> <u>regulatory@tendercorp.com</u> 603-444-6735		
EMERGENCY PHONE:	Spills:(800) 354-2382 (Veolia) Medical Information:(800) 258-4696 (Tender Corporation)		

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Clear, lemony odor, Flammable, Water soluble Liquid

HAZARD CLASSIFICATION:	Flammable Aerosol	Cateogry 2
	Acute Toxicity (Oral)	Category 4
	Eye Damage/Irritation	Category 2A
	Skin Corrosion/Irritation	Category 2
	Gases Under Pressure	Compressed Gas

GHS Label elements, including precautionary statements Pictogram

Signal word:



Hazard statement(s) H223 H302 H319 H315 H280	Flammable aerosol Harmful if swallowed Causes serious eye irritation Causes skin irritation Contains gas under pressure; may explode if heated
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces –No smoking
P211	Do not spray on an open flame or other ignition source
P233+234+235	Keep container tightly closed. Keep in original container. Keep cool.
P243	Take precautionary measures against static discharge.
P251	Pressurized container: do mot pierce or burn even after use
P403	Store in a well-ventilated place
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F
P337+P313	If eye irritation persists, get medical advice/attention
P264	Wash hand thouroughly after handling
P305+P351+P338	IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing
P301+330+331+315	IF SWALOWED: Rinse mouth. DO NOT induce vomiting. Get immediate medical advice/attention.
P273	Avoid release to the environment
ROUTES OF EXPOSURE:	Dermal, oral

POTENTIAL HEALTH EFFECTS



Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 2 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

INHALATION:	May cause irritation to lungs
SKIN CONTACT:	Do not use over cuts, wounds or irritated skin Pre-existing skin disorders may be aggravated by exposure
EYE CONTACT:	Prolonged contact may cause irritation, with redness, pain, tearing, blurred vision and conjunctivitis.
INGESTION:	May be harmful if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Conc.(%)	CAS NO.	EC NO.	Classification
Picaridin [1-Piperdinecarboxylic acid, 2- (2hydroxyethyl)-, 1-methylpropyl-ester]	20	119515-38-7		None
Water	20 to 30	7732-18-5	231-791-2	None
Ethyl alcohol	20 to 30	64-17-5	200-578-6	WHMIS Class B2 flammable liquid –Toxic D2B EU-F;R11
Polyethylene Glycol 400	15 to 30	25322-68-3		None

See Section 8 – "EXPOSURE CONTROLS/PERSONAL PROTECTION" for exposure guidelines

	SECTION 4: FIRST AID MEASURES
INHALATION:	Move victim to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted.
CONTACT WITH SKIN:	Take off contaminated clothing. Immediately wash gently and thoroughly with luke warm, gently flowing water and non-abrasive soap for 15-20 mins. If skin irritation or rash occurs, see a doctor. Thoroughly clean clothin before reuse or dispose of safely.
CONTACT WITH EYES:	Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holdin the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If irritation or pain persists, see a doctor.
INGESTION:	Have victim rinse mouth with water. NEVER give anything by mouth if the victim is rapidly losing consciousness, or is unconscious or convulsing. DO NOT INDUCE VOMITING. Contact a physician if warranted.

SECTION 5: FIRE-FIGHTING MEASURES

 FIRE AND EXPOLSIVE PROPERTIES: Flammable - Explosive/hazardous vapors and flammable liquid

 Flash Point: 78°F

 Flammable Limits: Not applicable

 EXTINGUISHING MEDIA:

 Water spray

 Carbon dioxide

 Dry Chemical or foam

SPECIFIC HAZARDS: In case of fire, hazardous combustion gases may be formed: Carbon monoxide (CO) Carbon Dioxide (CO2) Nitrogen oxides (NOx)

PROTECT EUIPMENT FOR FIREFIGHTERS: Use self-contained breathing apparatus and full protective clothing FURTHER INFORMATION: Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: For Large Spills; isolate the hazard area. Keep out unnecessary and unprotected personnel. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Use the Personal Protective Equipment recommended in Section 8 of this SDS. Review Section 7 (Handling) of this SDS before proceeding with cleanup.

ENVIRONMENTAL PRECAUTIONS: Do not contaminate water by disposal of wastes

METHOD FOR CONTAINMENT AND CLEAN-UP:



Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 3 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Prevent product from entering drains and ventilation systems. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered labeled containers for disposal. Large Spills: Dike spill product to prevent runoff. Recover contaminated water for appropriate disposal. Report spills to local health, safety and environmental authorities, as required.

SECTION 7: HANDLING AND STORAGE

GENERAL:	It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not use or store near heat, sparks, open flame, or any other ignition sources.
HANDLING:	Read entire label before using. Use strictly in accordance with label precautionary statements and directions. Do not contaminate food or feed.
STORAGE:	Keep product in its original container. Keep container tightly closed. Store this product in a cool, dry place away from heat or direct sunlight. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: General ventilation is usually adequate. When handling large quantities of concentrated product; Use local exhaust ventilation, if necessary. PERSONAL PROTECTIVE EQUIPMENT (PPE): None required.

EXPOSURE GUIDELINES:

INGREDIENT:	CAS NO.	%	Exposure Limits		
			ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA
Ethyl alcohol	64-17-5	< 30	1000 ppm		1000 ppm

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE:	Clear liquid	
ODOR:	Lemony	
pH:	7.0 to 9.0	
BOILING POINT:	Greater than 35°C	
MELTING POINT:	Not determined	
RELATIVE DENSITY (H2O = 1) @25°C:0.98 gm/ml		
VAPOR PRESSURE (mmHg) @ °C:	Not applicable	
VAPOR DENSITY (AIR = 1):	Not applicable	
FLASH POINT:	26°C (78.8°F).	
SOLUBILITY IN WATER:	Soluble	
SOLUBILITY IN SOLVENTS:	Soluble in alcohol	
VISCOSITY:	5-25 cps @ 25º C	
VOLATILE ORGANIC COMPOUNDS (VOC):	<36%	
PARTITION COEFFICIENT:	Not determined	



Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 4 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 10: STABILITY AND REACTIVITY

STABILITY: CONDITIONS TO AVOID: INCOMPATIBILITY (MATERIAL TO AVOID):

Stable Extreme temperatures Oxidizing agents, acids, alkali metals, ammonia, peroxides, calcium hypochlorite, reducing agents Carbon dioxide, Carbon monoxide, Hydrogen cyanide Nitrogen oxides Will not occur

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: HAZARDOUS POLYMERIZATION:

SECTION 11: TOXICOLOGICAL INFORMATION

The preparation has not been tested for all toxicological effects; some are classified on the basis of the known hazards of the components.

Acute oral toxicity:	LD50 – 6200 mg/kg bw (rat)			
	Method: unknown			
Acute inhalation toxicity:	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000 LC50 – 5.9 mg/l (rat-6hrs)			
Acute initialation toxicity.	Method: unknown			
	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000			
Acute dermal toxicity:	LDLo – 2000 mg/kg bw (rabbit)			
·····	Method: unknown			
	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000			
Irritant effect on skin:	Non-irritating (rabbit)			
	Method: OECD Guide-Line 404			
	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000			
Irritant effect on eyes:	Moderately irritating (rabbit)			
	Method: OECD Guide-Line 405			
	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000			
Sensitization:	Not sensitizing (guinea pig)			
	Method: unknown			
Mutagonicity	Source: IUCLID Datasheet ID: 64-17-5, 18-Feb-2000 Not determined			
Mutagenicity:	Not determined			
Carcinogenicity/Reproductive toxicity	Not determined; None of the components present in this material at concentrations of 0.1% or			
	greater are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.			
	Source: Safety Data Sheets of components			
Specific Target Organ Toxicity	Single exposure (GHS) – no data available			
	Repeated exposure (GHS) – no data available			
Signs and Symptoms of Exposure	irritation, dryness and cracking of skin, may cause headaches and irritation to throat			
POTENTIAL HEALTH EFFECTS				
INHALATION: May cause	e irritation to lungs			

	INHALATION.	way cause initiation to lungs
	SKIN CONTACT:	Do not use over cuts, wounds or irritated skin. Pre-existing skin disorders may be aggravated by exposure
	EYE CONTACT:	Prolonged contact may cause irritation, with redness, pain, tearing, blurred vision and conjunctivitis.
	INGESTION:	May be harmful if swallowed.
ΤA	ARGET ORGANS:	Respiratory sytem

SECTION 12: ECOLOGICAL INFORMATION



Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 5 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

General Comments:	Ecotoxicological data have not been determined specifically for this product, but it is classified on the basis of the known hazards of the components. This section is not required by WHMIS.
Mobility	The product is alcohol-based and expected to be mobile in the aquatic environment.
Biodegradability	Ethanol is expected to be biodegradable Source: Ethanol Manufacturers SDS
Bioaccumulation	Ethanol is not expected to bioaccumulate in the environment.
Toxicity	Ethanol is not classified as harmful or toxic to aquatic life. LC50 Rainbow Trout >10,000mg/L (96hr), Flathead minnow LC50 15,300 mg/L (96hr) Source: Ethanol Manufacturers SDS and IUCLID Datasheet

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not reuse any empty containers.

US: This product is a hazardous liquid waste (D001) as defined in Resource Conservation Recovery Act Regulations (40 CFR 261) and should be disposed of according to local, state and Federal regulations Dispose of partially filled and empty containers by wrapping and discarding in trash.

International: This product should not be disposed of via the drains or by landfill. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities or approved waste disposal companies who will advise you on how to dispose of special waste.

General EU requirements are given in the Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC). Packaging may contain residues of the product and should be treated accordingly

SECTION 14: TRANSPORT INFORMATION

SHIPPING INFORMATION:

Regulation	UN No.	Proper Shipping Name	Class	Package Group	Additional Information	
U.S. Department of Transportation (DOT) – NonBulk	1950	Aerosols, flammable	2.1		Consumer Commodity/ Limited Qty Exemption Not exceeding 1L ORM-D	
Canadian Transportation of Dangerous Goods(TDG)	1950	Aerosols, flammable	2.1		Consumer Commodity/ Limited Qty Exemption Not exceeding 1L ORM-D	
International Maritime Dangerous Goods (IMDG)	1950	Aerosols, flammable	2.1			
International Air Transport Assoc. (IATA)	1950	Aerosols, flammable	2.1			

The transportation regulations are cited according to international regulations and in the form applicable to the United States and Canada. Possible national deviations in other countries are not considered.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

 TSCA (TOXIC SUBSTANCE CONTROL ACT):
 All components of this product are listed or exempt on the TSCA list

 CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):
 None

 CERCLA HAZARDOUS SUBSTANCE:
 None

 CERCLA REPORTABLE QUANITIY:
 None

 RCRA 261 (RESOURCE CONSERVATION RECOVERY ACT):
 This product is defined as a hazardous waste (D001).

 SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

 Section
 302 Extremely Hazardous Substances (TPQ): None

 311/312 HAZARD CLASS:
 None

 313 REPORTABLE INGREDIENTS: None

U.S. STATE REGULATIONS:

California Proposition 65 Warning: Ethyl alcohol (64-17-5) when in alcoholic beverages. States Right to Know: Ethyl alcohol (64-17-5) Pennsylvania, Rhode Island, Florida, Massachusetts, New Jersey, Tennessee, California; 1-Piperdinecarboxyli acid, 3-(2-hydroxyethyl)-,1methylpropylester (119515-38-7) Pennsylvania



Natrapel® Picaridin Eco-Spray Tender Item 0006-6878 Page 6 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

CANADIAN REGULATIONS:



WHMIS CLASSIFCATION: B2 Flammable Liquid D2B Toxic This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

DOMESTIC SUBSTANCE LIST (DSL)/NON-DOMESTIC SUBSTANCE LIST (NDSL): All components are listed or exempt Canadian Ingredient Disclosure List: Ethyl alcohol (64-17-5)

EU REGULATIONS:

Labeling in accordance with EC-Directives



Flammable

Hazardous component(s) to be indicated on label - Ethyl alcohol (64-17-5)

R phrases	22 36/37/38	Harmful if swallowed Irritating to eyes, respiratory system and skin
S phrases	7 16 26 49	2 Keep out of the reach of children Keep container tightly closed Keep away from sources of ignition – No smoking In case of contact with eyes, rinse immediately with plenty of water and seek medical advice Keep only in the original container

Irritant

SECTION 16: OTHER INFORMATION

HMIS		
Health: 1	Flammability: 3	Reactivity: 0
Special: None		

4=extreme 3=High 2=Moderate 1=Slight 0=Insignificant

REVISED SECTIONS OR REASON FOR REVISION:

ORIGIN DATE: DECEMBER 22, 2011

1-(MAY 14, 2012) - MEDICAL INFORMATION PHONE # & ADDED E-MAIL ADDRESS, PRINT DATE, PRODUCT CODE

2-(JANUARY 25, 2013) – CHANGED IATA TRANSPORATION INFO 3-(JANUARY 30, 2013) – CHANGED TRANSPORATION INFO

4-(JUNE 1, 2015) - CHANGED TITLE FROM MSDS TO SDS

5-(DECEMBER 15, 2015) - FORMATTING CHANGES

6-(FEBRUARY 5, 2016) - REMOVE 8 HR/8 HOUR, FORMATING, AND ADD SECTION 7 REFENCE TO FLAMMABLE AND FEDERAL LAW 7 - (APRIL 26, 2017) - UPDATED TRANSPORTATION INFORMATION FOR DIFFERENT NATRAPEL PACKAGING

DISCLAIMER: The information provided herein was believed to be accurate, to the best knowledge of Tender Corporation, at the time of preparation from a compilation of sources believed to be reliable and is furnished without warranty, expressed or implied. It is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling, storage and use of this product and to determine the suitability of the product for its intended use. This data sheet relates only to the specific product listed and does not relate to use in combination or in any process with other materials