# SAFETY DATA SHEET

## 1. Identification

Product number 1000000940

Product identifier JET FORCE WASP AND HORNET KILLER

Claire Manufacturing Co. Company information

1005 S. Westgate Drive

Addison, IL 60101 United States

General Assistance 1-630-543-7600 Company phone

1-866-836-8855 Emergency telephone US Emergency telephone outside 1-952-852-4646

US

01 Version #

Recommended use Not available. Recommended restrictions None known.

## 2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1 Health hazards Aspiration hazard Category 1 Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment,

Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements





Danger Signal word

Extremely flammable aerosol. May be fatal if swallowed and enters airways. May cause Hazard statement

drowsiness or dizziness. Toxic to aquatic life.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid

breathing gas. Use only outdoors or in a well-ventilated area.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison Response

center/doctor if you feel unwell. Do NOT induce vomiting.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from Storage

sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

#### Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	80 - 90
Carbon Dioxide		124-38-9	2.5 - 10

Chemical name	Common name and synonyms	CAS number	%
Isopropyl Alcohol		67-63-0	2.5 - 10
d-Phenothrin		26002-80-2	0.1 - 1
Tetramethrin		7696-12-0	0.1 - 1
Other components below reportable levels			1 - 2.5

#: This substance has workplace exposure limit(s).

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

The full text for all R-phrases is displayed in Section 16 of the SDS.

#### 4. First-aid measures

Inhalation

If inhalation of gas/fume/vapor/dust/mist from the material is excessive (air concentration is greater than the TLV or health effects are noticed), immediately remove the affected person(s) to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Call a physician or Poison Control Center immediately. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

Skin contact

Remove and isolate contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists. Continue rinsing. Get medical attention immediately.

Ingestion

If material is ingested, immediately contact a poison control center. Call a physician or poison control center immediately. Rinse mouth thoroughly. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness or dizziness.

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

treatment needed
General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Extremely flammable aerosol.

#### Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. After removal flush contaminated area thoroughly with water. This material and its container must be disposed of as hazardous waste.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Will ignite if exposed to intensive heat or open air. Vapors may form explosive mixtures with air. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid exposure - obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Do not get this material on clothing. Use only in area provided with appropriate exhaust ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type

**TWA** 

Store locked up. Avoid exposure - obtain special instructions before use. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. The pressure in sealed containers can increase under the influence of heat. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Keep container dry. Refrigeration recommended. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

Value

5000 ppm

#### 8. Exposure controls/personal protection

Occupational exposure limits

Components

124-38-9)

Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
Isopropyl Alcohol (CAS 67-63-0)	PEL	980 mg/m3	
,		400 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Type	Value	
Carbon Dioxide (CAS	STEL	30000 ppm	

Components	Тур	e	V	'alue		
Isopropyl Alcohol (CAS 67-63-0)	STI	ΞL	4	00 ppm		
	TW	Ά	2	00 ppm		
US. NIOSH: Pocket Guid	e to Chemical Hazards	3				
Components	Тур	е	V	'alue		
Carbon Dioxide (CAS 124-38-9)	STI	ΞL	5	4000 mg/m3		
			3	0000 ppm		
	TW	Ά	9	000 mg/m3		
			5	000 ppm		
Isopropyl Alcohol (CAS 67-63-0)	STI	ΞL	1	225 mg/m3		
			5	00 ppm		
	TW	A	9	80 mg/m3		
			4	00 ppm		
logical limit values						
<b>ACGIH Biological Expos</b>	ure Indices					
Components	Value	Determinant	Specimen	Sampling	Time	
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*		
* - For sampling details, p	lease see the source do	cument.				
osure guidelines	No Exposure stan	dards allocated.				
propriate engineering trols	Ensure adequate ventilation, especially in confined areas.					

Individual protection measures, such as personal protective equipment

Avoid exposure - obtain special instructions before use. Face shield is recommended. Face-shield. Eye/face protection

Do not get in eyes. Wear safety glasses; chemical goggles (if splashing is possible).

Avoid exposure - obtain special instructions before use. Wear appropriate chemical resistant Hand protection

gloves.

Skin protection

Other Avoid exposure - obtain special instructions before use. Wear appropriate chemical resistant

clothing. It may provide little or no thermal protection. Chemical resistant gloves. The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Skin protection

Avoid exposure - obtain special instructions before use. If permissible levels are exceeded use Respiratory protection

> NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory

protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Do not get in eyes. When using do not smoke. Avoid contact with eyes. Avoid contact with skin. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Compressed liquefied gas. **Appearance** 

Liquid. Physical state Aerosol. Form Colorless. Color Solvent. Odor Not available. Odor threshold Not available. pΗ Not available. Melting point/freezing point

Product name: 14 OZ JET FORCE WASP HRNT LB 12PK

438.64 °F (225.91 °C) estimated Initial boiling point and boiling

range

229.0 °F (109.4 °C) estimated Flash point

Not available. Evaporation rate Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

0.5 % estimated

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

90 - 110 psig @70F estimated Vapor pressure

Vapor density Not available.

Relative density 0.826 g/cm3 estimated

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

421 °F (216.11 °C) estimated Auto-ignition temperature

Decomposition temperature Not available. Not available. Viscosity

Other information

0.83 g/cm3 estimated Density Combustible IIIB estimated Flammability class

38.77 kJ/g estimated Heat of combustion Heat of combustion (NFPA 38.53 kJ/g estimated

30B)

8.53 % estimated Percent volatile Specific gravity 0.826 estimated VOC (Weight %) 8.53 % estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Risk of explosion. Risk of ignition. Stable at normal conditions. Chemical stability

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Exposure to air. Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact Conditions to avoid

with incompatible materials.

Incompatible materials Acids. Strong oxidizing agents. Isocyanates. Oxygen. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

Expected to be a low ingestion hazard. Droplets of the product aspirated into the lungs through Ingestion

ingestion or vomiting may cause a serious chemical pneumonia.

Narcotic effects. Prolonged inhalation may be harmful. Inhalation No adverse effects due to skin contact are expected. Skin contact Eve contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis. Symptoms of overexposure may be

headache, dizziness, tiredness, nausea and vomiting.

Product name: 14 OZ JET FORCE WASP HRNT LB 12PK

Information on toxicological effects

Acute toxicity Acute LD50: 2237 mg/kg, Rat, Dermal

May be fatal if swallowed and enters airways. Narcotic effects.

Test Results Product **Species** 14 OZ JET FORCE WASP HRNT LB 12PK (CAS Mixture) Acute Dermal LD50 Rabbit 1142.4321 mg/kg, 24 Hours estimated 193.0048 ml/kg, 24 Hours estimated Rat 2237 mg/kg Inhalation LC50 Cat 952.6719 mg/l, 6 Hours estimated Rat 1116.4125 mg/l, 6 Hours estimated 14.8856 mg/l, 8 Hours estimated 6 mg/l/4h 5.3176 mg/l, 4 Hours estimated Oral LD50 Rat 33363.3633 ml/kg estimated 68.7285 g/kg estimated Components **Species** Test Results Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8) Acute Dermal LD50 Rabbit > 2000 mg/kg > 2000 mg/kg, 24 Hours Inhalation LC50 Rat > 7.5 mg/l, 6 Hours > 4.6 mg/l, 4 Hours Oral LD50 Rat > 5000 mg/kg Isopropyl Alcohol (CAS 67-63-0) Acute Dermal LD50 Rabbit 16.4 ml/kg, 24 Hours Inhalation Rat LC50 > 10000 ppm, 6 Hours Oral LD50 Rat 5.84 g/kg Tetramethrin (CAS 7696-12-0) Acute Oral LD50 Rat 4640 mg/kg \* Estimates for product may be based on additional component data not shown. Skin corrosion/irritation Not expected to be hazardous by OSHA criteria. Serious eye damage/eye Harmful in contact with eyes. irritation Respiratory or skin sensitization

Product name: 14 OZ JET FORCE WASP HRNT LB 12PK

Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Not available.

Germ cell mutagenicity Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by WHMIS criteria.

Carcinogenicity Suspect cancer hazard. Not expected to be hazardous by WHMIS criteria.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Avoid exposure to women during early pregnancy. Not expected to be hazardous by OSHA

criteria.

Specific target organ toxicity -

single exposure

Narcotic effects.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways. Not likely, due to the form of the product.

Chronic effects Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged or repeated

exposure may cause lung injury. Prolonged exposure may cause chronic effects. Not expected to

be hazardous by WHMIS criteria.

## 12. Ecological information

Ecotoxicity LC50: 48.72 mg/L, Fish, 96.00 Hours

IC50: 11769 mg/L, Algae, 72.00 Hours EC50: 629 mg/L, Daphnia, 48.00 Hours

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Accumulation in aquatic

organisms is expected.

Product		Species	Test Results	
14 OZ JET FORCE W	ASP HRNT LB 12F	PK (CAS Mixture)		
Aquatic				
Algae	IC50	Algae	11769 mg/L, 72 Hours	
Crustacea	EC50	Daphnia	629 mg/L, 48 Hours	
Fish	LC50	Fish	48.7193 mg/L, 96 Hours	
Components		Species	Test Results	
Distillates (Petroleum)	), Hydrotreated Ligh	t (CAS 64742-47-8)		
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours	
Isopropyl Alcohol (CA	S 67-63-0)			
Aquatic				
Algae	IC50	Algae	1000.0001 mg/L, 72 Hours	
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours	
Tetramethrin (CAS 76	96-12-0)			
Aquatic				

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Fish

Isopropyl Alcohol 0.05 Tetramethrin 4.73

LC50

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

Carp (Cyprinus carpio)

potential, endocrine disruption, global warming potential) are expected from this component.

0.095 - 0.16 mg/l, 96 hours

## 13. Disposal considerations

Disposal instructions Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush.

This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

#### 14. Transport information

DOT

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk None Label(s) None

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Special provisions N82
Packaging exceptions 306
Packaging non bulk None
Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) Packing 2.1

group Environmental Not applicable.

hazards No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Fo

aircraft

Forbidden.

Cargo aircraft only Forbidden.
Packaging Exceptions LTD QTY

**IMDG** 

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1
Subsidiary risk Label(s) None

Packing group Not applicable.

Environmental hazards

Marine pollutant No.

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Packaging Exceptions
Transport in bulk according to
Annex II of MARPOL 73/78 and

LTD QTY
Not applicable.

the IBC Code IATA; IMDG



#### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
d-Phenothrin	26002-80-2	0.1 - 1
Tetramethrin	7696-12-0	0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FIFRA Information

#### Hazard statement This chemical is a pesticide product registered by the United States Environmental Protection

Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION!

Harmful if absorbed through skin. Moderately irritating to the eyes.

#### US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

#### US. Massachusetts RTK - Substance List

Carbon Dioxide (CAS 124-38-9) Isopropyl Alcohol (CAS 67-63-0)

US. New Jersey Worker and Community Right-to-Know Act

Carbon Dioxide (CAS 124-38-9) d-Phenothrin (CAS 26002-80-2) Isopropyl Alcohol (CAS 67-63-0) Tetramethrin (CAS 7696-12-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Dioxide (CAS 124-38-9) Isopropyl Alcohol (CAS 67-63-0)

## US. Rhode Island RTK

d-Phenothrin (CAS 26002-80-2) Isopropyl Alcohol (CAS 67-63-0) Tetramethrin (CAS 7696-12-0)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Australian Inventory of Chemical Substances (AICS)

#### International Inventories

Australia

New Zealand

Country(s) or region

Australia	Australian inventory of Chemical Substances (AICS)	res
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No

New Zealand Inventory **Philippines** Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Yes

Yes

No

On inventory (yes/no)\*

#### 16. Other information, including date of preparation or last revision

08-06-2014 Issue date

Version # 01

Product #: 1000000940 Version #: 01 Issue date: 08-06-2014

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Claire Manufacturing Co. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

**Revision Information** 

Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Ingredients

GHS: Classification